

DYNAMIC fireplace inserts FOR LONG-LASTING ACCUMULATION HEATING WITH DOUBLE GLAZING

DYNAMIC fireplace inserts are the ideal choice for installations using accumulation elements. When assembled, these radiant accumulation stoves are the result of cooperation between the stove builder and the user. The output, size of the combustion chamber and the amount of accumulation are scaled to the specific building and the customer's requirements. Thanks to the ability to store and radiate heat, accumulation stoves are among the best and healthiest means of heating. Fire-place inserts should be purchased with **MAMMOTH** accumulation rings or the accumulation modular system, which represents the ultimate in heat storage.

DYNAMIC fireplace inserts have a design print on the double glazed door (suitable for low-energy houses when installed with accumulation casing). They have an external air intake (EAI) system, and are designed for closed, built-in accumulation. The combustion chamber is lined with 5 cm thick chamotte bricks and thanks to the secondary air intake, the glass on the door is constantly "washed" to prevent the build-up of deposits. The primary and secondary (tertiary) air intake can be regulated by a single control element. DYNAMIC fireplace inserts are not supplied with smoke extraction components (spigot). The customer must buy these separately as accessories according to the intended use. **The fireplace insert cannot be connected directly to the chimney.**

DYNAMIC B3G 66.44.01



Prices on request at your seller
order code: **DB3H 01**

with back stoking

optional shifting of hinges for both doors

Technical parameters

Height	895 mm
Width	884 mm
Depth	577 mm
Door height	393 mm
Door width	617 mm
Weight	219 kg
Regulated output	5,5-14,2 kW
Smoke flue diameter	180 / 200 mm
Flue socket diameter	180 / 200 mm
External air intake diameter	150 mm
Draught	12 Pa
Efficiency	84,1 %
Average wood consumption	3,1 kg/h
A+	

Accessories

ACCUMULATION SET of ROMOTOP MAMMOTH RINGS - 8 pcs (AKKUM KV 08B)

ADJUSTABLE LEGS - 190 mm

AIRBOX 01 IMPRESSION

CAST IRON FLANGE 200

CAST IRON TURNING DOME WITH ELBOW 180

DESIGN HANDLE for the rear door (left opening)

DESIGN HANDLE for the rear door (right opening)

FRAME D3H RAM 04 cover deep

FRAME D3H RAM 06 cover standard

HOT AIR EXCHANGER for DYNAMIC 3G fireplace inserts

MAMMOTH accumulation ring

RECESSED HANDLE

REMOVABLE HANDLE

TECHNICAL FRAME (DB3H RAM01)

Download

[Declaration about qualities](#)

[EC declaration of conformity](#)

[Ecodesign \(EU 2015/1185\)](#)

[Energy label and product sheet](#)

[Energy label \(EU 2015/1186\)](#)

[General instructions](#)

[Installation instructions](#)

[Technical documentation](#)

[Technical sheet](#)

[Warranty sheet](#)

[Download our catalogue!](#)