

DYNAMIC fireplace inserts WITH DOUBLE / TRIPLE GLAZING

DYNAMIC fireplace inserts with double and triple glazing are the ideal choice for low-energy houses. First-class materials in combination with sophisticated structural design offer the perfect heat source for long winter nights.

DYNAMIC fireplace inserts are well suited for low-energy houses thanks to their double and triple glazing. The glass in the doors includes a design print. Fireplace inserts are equipped with an EAI (external air intake) system and designed for accumulation as well as convection operation. The combustion chamber is lined with chamotte bricks and a hinged iron grate with an ash tray. Secondary air intake washes over the glass in the door to prevent the cumulation of deposits. Primary and secondary air intake is regulated by a single control element. A MAMMOTH side accumulation set and upper accumulation rings can be purchased separately for fireplace inserts, which can extend the period of heat radiation by more than 12 hours. The innovative DOUBLE SPIN flue gas system increases efficiency and reduces the environmental impact of the fireplace insert.

DYNAMIC 2G 44.55.01N



Prices on request at your seller
order code: **D2L 01N**

double glazing

optional shifting of hinges

maximum of 2 side accumulation sets

Fireplace insert is not supplied with smoke extraction components (spigot). The customer must buy these separately as accessories according to the intended use.

Technical parameters

Height	1065 mm
Width	500 mm
Depth	482 mm
Door height	503 mm
Door width	401 mm
Weight	134 kg
Regulated output	3,5-9,1 kW
Smoke flue diameter	150-200 mm
Flue socket diameter	180 / 200 mm
External air intake diameter	150 mm
Draught	12 Pa
Efficiency	85,1 %
Average wood consumption	2,1 kg/h
A+	

Accessories

ACCUMULATION SET of ROMOTOP MAMMOTH RINGS - 6 pcs (AKKUM KV 01B)

ADJUSTABLE LEGS - 190 mm

CAST IRON FLANGE 200

CAST IRON TURNING DOME WITH ELBOW 180

FRAME D2L RAM04N cover deep

FRAME D2L RAM06N cover standard

HANDLING SET

MAMMOTH accumulation ring

REMOVABLE HANDLE

ROMOTOP CONVECTION EXCHANGER

ROMOTOP MAMMOTH ACCUMULATION EXCHANGER

ROMOTOP MAMMOTH ACCUMULATION SET for ROMOTOP convection exchanger

SIDE ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts

Download

[Declaration about qualities](#)

[EC declaration of conformity](#)

[Ecodesign \(EU 2015/1185\)](#)

[Energy label and product sheet](#)

[Energy label \(EU 2015/1186\)](#)

[General instructions](#)

[Installation instructions](#)

[Technical documentation](#)

[Technical sheet](#)

[Warranty sheet](#)

[Download our catalogue!](#)