

## IMPRESSION fireplace inserts WITH SIDE OPENING AND DOUBLE STRAIGHT GLAZING

**IMPRESSION fireplace inserts with side opening are the perfect choice for all those who love simple and minimalistic design, perfectly combined with top-quality materials.**

IMPRESSION fireplace inserts have unusually high glass windows, offering a luxurious view of the fire. Double glazing in the specially rigid profile of the door frame allows these fireplace inserts to be used for accumulation and convection operation. The combustion chamber is available in black or cream colour with an optional change for the furnace grate. The innovative DOUBLE SPIN flue gas system increases efficiency and reduces the environmental impact of the fireplace insert. Secondary air intake washes over the glass in the door to prevent the cumulation of deposits. Primary and secondary air intake is regulated by a single control element. Fireplace inserts are equipped with a EAI (external air intake) system, which can be easily connected using the AIRBOX rotating elbow. The flue gas exhaust can be connected from the side or the top. Side and top MAMMOTH accumulation sets can be purchased separately for fireplace inserts, which can extend the period of heat radiation by more than 12 hours.

### IMPRESSION 2g 67.60.01



Prices on request at your seller

order code: **I2G 01**

double glazing on the doors ensures heat comfort in low-energy houses

maximum of 4 side accumulation sets

the combustion chamber is optional (crema or black) and needs be ordered separately!



## Technical parameters

Height	1354 mm
Width	848 mm
Depth	447 mm
Door height	556 mm
Door width	629 mm
Weight*	134 kg
Regulated output	4,8-12,6 kW
Smoke flue diameter	160-180 mm
Flue socket diameter	180 mm
External air intake diameter	150 mm
Axis height of rear outlet	1181 mm
Draught	12 Pa
Efficiency	80,2 %
Average wood consumption	2,8 kg/h

\*weight including black / cream combustion chamber

A

## Accessories

ADJUSTABLE LEGS - 190 mm

AIRBOX 01 IMPRESSION

COMBUSTION CHAMBER I2G TOP01 black

COMBUSTION CHAMBER I2G TOP02 cream

FRAME I2G RAM04 cover deep

FRAME I2G RAM06 cover, standard

GRATE SET (H3 ROST 01)

HANDLING SET

REMOVABLE HANDLE

SIDE ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts (AKKUM KV 06)

TOP ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts with a flue exhaust of 180 mm

## **Download**

[Declaration about qualities](#)

[EC declaration of conformity](#)

[Ecodesign \(EU 2015/1185\)](#)

[Energy label and product sheet](#)

[Energy label \(EU 2015/1186\)](#)

[General instructions](#)

[Installation instructions](#)

[Technical documentation](#)

[Technical sheet](#)

[Warranty sheet](#)

[Download our catalogue!](#)