

## IMPRESSION fireplace inserts WITH SIDE OPENING AND SPLIT CORNER GLAZING

**IMPRESSION corner fireplace inserts are specially designed to the smallest detail to make everyday heating an enjoyable experience. The corner glazing design features small but elaborate details that lend the IMPRESSION series a unique charm and exclusivity.**

IMPRESSION fireplace inserts with side opening and split corner glazing have unusually high glass windows, offering a luxurious view of the fire. Corner glazing (left, right) consists of two parts. The combustion chamber is available in black or cream colour with an optional change for the furnace grate. Inserts are designed for accumulation and convection operation. The innovative DOUBLE SPIN flue gas system increases efficiency and reduces the environmental impact of the fireplace insert. Secondary air intake washes over the glass in the door to prevent the cumulation of deposits. Primary and secondary air intake is regulated by a single control element. Fireplace inserts are equipped with an EAI (external air intake) system, which can be easily connected using the AIRBOX rotating elbow. The flue gas exhaust can be connected from the side or the top. Side and top MAMMOTH accumulation sets can be purchased separately for fireplace inserts, which can extend the period of heat radiation by more than 12 hours.

### IMPRESSION R/L 2g S 58.60.34.21



Prices on request at your seller

Split glazing - right variant - order code: **IR2SF 21**

Split glazing - left variant - order code: **IL2SF 21**

maximum of 2 side accumulation sets

the combustion chamber is optional (crema or black) and needs be ordered separately!

## Technical parameters

Height	1324 mm
Width	703 mm
Depth	487 mm
Door height	556 mm
Door width	583 mm
Door depth	339 mm
Weight*	113 kg
Regulated output	3,7-9,6 kW
Smoke flue diameter	150-180 mm
Flue socket diameter	180 mm
External air intake diameter	125 mm
Axis height of rear outlet	1160 mm
Draught	12 Pa
Efficiency	81,6 %
Average wood consumption	2,1 kg/h

\*weight including black / cream combustion chamber

A+

## Accessories

ADJUSTABLE LEGS - 190 mm

AIRBOX 02 IMPRESSION

COMBUSTION CHAMBER IR2LF TOP01 black

COMBUSTION CHAMBER IR2LF TOP02 cream

FRAME IR2SF RAM04 cover, deep, universal

FRAME IR2SF RAM06 cover, standard, universal

GRATE SET (H3 ROST 01)

REMOVABLE HANDLE

SIDE ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts (AKKUM KV 06)

TOP ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts with a flue exhaust of 180 mm

## **Download**

[Declaration about qualities](#)

[EC declaration of conformity](#)

[Ecodesign \(EU 2015/1185\)](#)

[Energy label and product sheet](#)

[Energy label \(EU 2015/1186\)](#)

[General instructions](#)

[Installation instructions](#)

[Technical documentation](#)

[Technical sheet](#)

[Warranty sheet](#)

[Download our catalogue!](#)