

## SORIA N Fireplace stoves

**The beauty of the SORIA N fireplace stoves comes from the modern round shape in combination with the large door glazing which enables a unique view of the fire. Let yourself be captivated by the play of living flames.**

The SORIA N fireplace stoves are equipped with a new system for closing the door which enables a user-friendly door self-closing. The burning process in brand new chamber is optimized to achieve the best efficiency. The large door glazing includes a design print. The stove can be fitted with special accumulation tiles in the space above the combustion chamber. This "mass" of accumulation elements can extend the heat radiation period of the stove by up to 5,5 hours. The combustion chamber is equipped with a heavy cast iron grate and heat-resistant chamotte brick tiles. This fireplace stove is suitable for low-energy homes. The standard version includes the option to connect an upper or rear flue gas exhaust. An EAI (External Air Intake) system is included. Thanks to the secondary air intake, the door glass is air-washed to prevent the cumulation of soot. The primary and secondary air intakes are regulated by a single control element.

### SORIA N 01

ceramic



Prices on request at your seller

order code: **SORIA N 01**

## Glaze colours



## Technical parameters

Height	1554 mm
Width	517 mm
Depth	517 mm
Weight	203 kg
Regulated output	2,8-7,2 kW
Smoke flue diameter	150 mm
Flue socket diameter	150 mm
External air intake diameter	125 mm
Axis height of rear outlet	1340 mm
Draught	12 Pa
Efficiency	83,9 %
Average wood consumption	1,5 kg/h
A+	

## Accessories

Accumulation set for fireplace stoves (AKKUM 01)

## Download

- [Declaration about qualities](#)
- [EC declaration of conformity](#)
- [Ecodesign \(EU 2015/1185\)](#)
- [Energy label and product sheet](#)
- [Energy label \(EU 2015/1186\)](#)
- [General instructions](#)
- [Installation instructions](#)
- [Technical documentation](#)
- [Technical sheet](#)
- [Warranty sheet](#)
- [Download our catalogue!](#)